
### See Instructions on back of page 6.

Department of Toxic Substances Control Sacramento, California

		UNIFORM HAZARDOUS	1. Generator's US EPA ID No.	Mani	ifest Document	l No.	2. Page 1	Information in th	
		WASTE MANIFEST	CIA   DIO   8   6   5   1     0   0   (	) 5  8	5 6	1   3	of 1	is not required b	y rederal law.
		3. Generator's Name and Mailing Address				A. Skale	Marifest Document		rese
		Douglas Aircraft Co.	Attn: R. Tuell M	/S C6	5-59			<b>3336</b>	5613
2-7		19503 So. Normandie F					Seserator's ID		
85		4. Generator's Phone (310)533-792  5. Transporter 1 Company Name	6. US EPÁ ID Number		7.	C. State	A HOLD	10 (Adams) (1997)	
8		Laidlaw Environmenta	l Services of CA /	NC	16		dried's Phone	<u> </u>	423600
CALL 1-800-852-7		7. Transporter 2 Company Name	CADOOO 8. US EPA ID Number	0 8 3	1121		ransporter's ID	10)518-	4700
\S		7. Transporter 2 Company Name	8. US EPA ID Number						
. 1		9. Designated Facility Name and Site Address	10. US EPA ID Number			la letere e e e l'	orter's Phone Facility's ID		
613 LIFORNIA	Ì	USPCI/Grassy Mountai						4114	不行动器
က်င္ပ		3 Mi east, 7 Mi nort	h off of Knolls Ex	kit #	41,	H. Facility	's Phone		Eliphon Park market
₩ §		off of I-80, Clive, UT	UT D 9 9 1	3 0 1	7 4 8 1 12. Cont		01)595=3	900 14. Unit	
933856 WITHIN CALII		11. US DOT Description (including Proper Shipp	ing Name, Hazard Class, and ID Number)	: · · ·	No.	Туре	13. Total Quantity	Wt/Vol I. W	aste Number
Ω€		°RQ, Hazardous Was	te solid, n.o.s.;9	<b>).</b> • 9				State	181
	G	NA3077;PG III; (D	008111 75		002	CIM	36700	PEPA	/Other 0.008
807	N	<b>b.</b>				<b>.</b> .		State	
24-8	E R							EPA	/Other
CENTER 1-800-424-8802.	A T	<b>c.</b>	·					Sterie	
8	o	World for BC1	Arrold Sh. 1/2	·* · · · · · · · · · · · · · · · · · ·					/Other
띪	R (	Mr. Contaction	11 1CP . 10 30 30						55 14 S. F. S. S.
		<b>d.</b>						State	图 對國際
								EPA	/Other
	i.V	1. Additional Descriptions for Materials Lived A			Comment of the Comment	K Hondli	ng Codes for Was	s Listed Above	
ES		11a)GM94-Q130. Four	ory sand contan, w	ith 1	ead.	<b>4</b>			State Contract Con-
교									
NATIONAL RESI		15. Special Handling Instructions and Additional	Information			er te			
ATIC		24 Hour emergency to		00 <b>)</b> 42	4-930	o (Ch	nemtrec)		
1	1								
뿓		DOT ERG#'s 11a)31							
CALL		16. GENERATOR'S CERTIFICATION: hereby packed, marked, and labeled, and are in al							
	1	If I am a large quantity generator, I certif	v that I have a program in place to reduc	ća the volu	e and toxici		e cenerated to the	degree Library d	etermined to be
SPILL,	T.	economically practicable and that I have se threat to human health and the environmen	lected the practicable method of treatment	, storage, d	or disposal cu	rrently avo	ilable to me which	minimizes the pre	esent and future
		waste management method that is available	to me and that I can afford.	i nave mai	ae a good ia	am errorr i	O minimize my was		
~ R		Robert G. Tue	// The Signature	11	- h	0)	200	Month	Day Year 7
S –	T P	, 17. Transporter 1 Acknowledgement of Receipt	of Materials		<del>/),</del>		- , y,		
	A N S	Printed/Typed Name	Signofura	5 /		2	IA)	Month	Day Year
.WE	P	18. Transporter 2 Acknowledgement of Receipt of	of Materials			m		10131	2917
<u>پ</u>	T E	Printed/Typed Name	Śignature			1		Month	Day Year
	R	19. Discrepancy Indication Space				•			
	F	in a line of the second of the							
7	Ç I				era i i sa iliya Karaja			0.14	
	L 1	20. Facility Owner or Operator Certification of		his manifes	t except as no	ted in Item	1 19.	716-2	286
	Y Y	Printed/Typed Name	Signature		$\mathcal{I}$			Month	Day Year
13 V	]	Ndam VI	DO NOT WRITE RE	2	115 INE	7	<del>-                                    </del>		<u> </u>

Yellow:

TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS. (Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)



83.559 AM 04 05 94	73780 16	73760 1b (H) 87540 1b	36220 1b	DATE/ DATE/ DATE/
ET	TARE		0,000	COUNT:
LOAD TICKET		TRAILER#		
opporation		- TRUCK # 16041		
A Subsidiary of Union Pacific Corporation		1LOAD #2556	REMARKS	DRUM COUNT: DRIVER: OPERATOR:

Robers

Acknowledgement of Receipt of Mo

Day Printed/Typed Name HMITT edgement of Receipt of Materials Printed/Typed Name

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name

Day

DO NOT WRITE BELOW THIS LINE.

**EMERGENCY** 

P

CASE

FACI Z

Year



SERVICE	ORDER 9	<u>2</u>	<u>77216</u>	
JOB NO.	2401	20		
DATE	3-29-	94	****	

## TRANSPORTATION SERVICE ORDER

	501 Pacheco Blvd.		3121		2027	Patton V	Vav			221 ⊏ "	'D" Street
_ \	Martinez, CA 94553 510) 372-4800				Baker (805)		A 93308 1 or		Z		ton, CA 907
Custor	ner Name: <u>Dou</u>	GLA	ی ا			Te	elephone:				
	Address:						ontact Person:				
1							OE #:				
	cation: TOR							- 1.15.51			
	f Material:			•			estination:	i .	62		
	ator: Dec	, , , , , , , , , , , , , , , , , , ,					ales Person: PA Number:				
	ator ID Number (Sta						acility EPA NO.:				
	al: LES Facility				None						
	st# 933856						, ,				
	es Performed 7/									EA 10	NO TO
,								7/	1 for 8/1 f	<del>ladd - fra <b>b</b>idl</del> Sir	77-7
Tw	S YARD FO	hid,	<del>7/E/\</del> -	w zysi						*	
Start M	liles: <u>163 937</u>	,		End	Miles:		T	otal Mil	es:		
	No.: 1600		-	47 3.8.		100		1 To 1 To 1 To 1		the state of the	3 - 4 - 4 - 4 - 1
· ruok ·	<b>,</b>					<del>, , , , , , , , , , , , , , , , , , , </del>					
Drivar	Time: Start (AM/PM				Ston (AN	A/PNA\					and the second
vicais.	Start Time (AM/PM	)									
Other T	Гime				Detail			Adj.	Time_		
Other Toriver's	Time s Name <u>P. S.</u>	CHN	1175		Detail	» <i>9</i>	9392	Adj. Tota	Time_ al Time		
Other Toriver's	Time s Name <u>P. S.</u>	CHN	1175		Detail	o	9392 ne In	Adj. Tota Tim	Time_ al Time e In		
Other T Driver's Custor	Fime	CHN, 7045	1175		Detail	o	9392	Adj. Tota Tim	Time_ al Time e In		
Other T Driver's Custor	Time s Name <u>P. S.</u>	CHN, 7045	1175		Detail	o	9392 ne In	Adj. Tota Tim	Time_ al Time e In		
Other T Driver's Custor	Fime	CHN, 7045	1175		Detail	o	9392 ne In	Adj. Tota Tim	Time_ al Time e In		
Other * Driver's Custon Explan	rime  s Name  ner Site: Time In  Time Out  ation of Time:	CHN.	1175		Detail	o. <u>9</u> Site: Tir Tir	9392 ne In me Out	Adj. Tota Tim Tim	Time_ al Time e In e Out _		
Other * Driver's Custon Explan	Fime	CHN.	1175		Detail	o. <u>9</u> Site: Tir Tir	9392 ne In me Out	Adj. Tota Tim Tim	Time_ al Time e In e Out _		
Other * Driver's Custon Explan	Fime Solution Name  Time Out  ation of Time:  DMER AUTHORIZA	CHM TON A	1175		Detail	o. <u>9</u> Site: Tir Tir	ne In	Adj. Tota Tim Tim	Time_ al Time e In e Out _		
Other Driver's Custon Explan	Fime	TION A	ND APF	PROVAL	Detail	D	ne In me Out	Adj. Tota Tim Tim	Time_ al Time e In e Out _	03-	29-94
Other Driver's Custon Explan CUSTO	Fime S Name S Name F S S Name Time In Time Out ation of Time:  DMER AUTHORIZA  DESCRIPTION	CHM TON A	ND APF		Detail	Site: Tir  Tir  Find the property of the prope	me In	Adj. Tota Tim Tim	Time_al Time e Ine Out _		
Other Driver's Custon Explan CUSTO	Fime S Name S Name F S Name Time In Time Out S Authorized  DESCRIPTION  TRANS	TION A	UOM	PROVAL	Detail	Site: Tir Tir  E: Pool  UNTING C  PROD  CODE  24015	me In me Out  DNLY  DESCRIPTION  HAZ SOLIDS	Adj. Tota Tim Tim	Time_ al Time e In e Out _	03-	29-94 EXT
Other Driver's Custon Explan CUSTO	Fime S Name S Name F S Name Time In Time Out Sation of Time:  DMER AUTHORIZA  DESCRIPTION  TRANS TRANS	TION A	UOM ST	PROVAL	Detail	Site: Tir  Tir  FROD CODE 24015 24015	me In me Out  DNLY  DESCRIPTION  HAZ SOLIDS  N/HAZ SOLIDS*	Adj. Tota Tim Tim	Time_ al Time e In e Out _	O3-	29-94 EXT
Other Driver's Custon Explan CUSTO	Fime S Name S Name F S Name Time In Time Out S Authorized  DESCRIPTION  TRANS	TION A	UOM	PROVAL	Detail	Site: Tir Tir  E: Pool  UNTING C  PROD  CODE  24015	me In	Adj. Tota Tim Tim	Time_ al Time e In e Out _	O3-	29-94 EXT
Other Driver's Custon Explan CUSTO CODE 14000 14000	Time  S Name  Finer Site: Time In  Time Out  ation of Time:  DMER AUTHORIZA  DESCRIPTION  TRANS  TRANS  TRANS  2ND DRIVER  SUBHAULER	TION A	UOM ST	PROVAL	Detail	D	me In	Adj. Tota Tim Tim	Time_al Time e Ine Out _	O3-	29-94 EXT
Other Driver's Custon Explan CUSTO CODE 14000 14000 14000	TIME  DESCRIPTION  TRANS TRANS TRANS TRANS SUBHAULER LABOR	TION A	UOM ST	PROVAL	Detail	Site: Tir  Tir  Tir  PROD CODE 24015 24010 24020 24025	me In	Adj. Tota Tim Tim	Time_al Time e Ine Out _	O3-	29-94 EXT
Other Driver's Custon Explan CUSTO 14000 14000 14000 54045 94065	TIME  DESCRIPTION  TRANS TRANS TRANS TRANS TRANS SUBHAULER LABOR BIN RENTAL	TION A	UOM ST	PROVAL	Detail	Site: Tir  Tir  FROD CODE 24015 24010 24020 24025 24025	me In	Adj. Tota Tim Tim	Time_al Time e Ine Out _	O3-	29-94 EXT
Other Driver's Custon  Explan  CUSTO  CODE  14000  14000  14000  54045  94065  14000	Time  S Name  Time Out  Time Out  ation of Time:  DESCRIPTION  TRANS  TRANS  TRANS  TRANS  2ND DRIVER  SUBHAULER  LABOR  BIN RENTAL  TRANS (NO DISP)	TION A	UOM ST	PROVAL	Detail	Site: Tir  Tir  Tir  PROD CODE 24015 24010 24020 24025	me In	Adj. Tota Tim Tim	Time_al Time e Ine Out _	O3-	29-94 EXT
Other Driver's Custon Explan CUSTO CODE 14000 14000 14000 14000 14000 14000 14000 14000	Time  S Name  Time Out  Time Out  ation of Time:  DESCRIPTION  TRANS  TRANS  TRANS  2ND DRIVER  SUBHAULER  LABOR  BIN RENTAL  TRANS (NO DISP)  WASHOUT	TION A	UOM ST	PROVAL	Detail	Site: Tir  Tir  FROD CODE 24015 24010 24020 24025 24025	me In	Adj. Tota Tim Tim	Time_al Time e Ine Out _	O3-	29-94 EXT
Other Driver's Custon Explan CUSTO CODE 14000 14000 14000 14000 14000 14000 14000	Time S Name S Name Time Out Time Out Sation of Time:  DESCRIPTION  TRANS TRANS TRANS 2ND DRIVER SUBHAULER LABOR BIN RENTAL TRANS (NO DISP) WASHOUT	TION A	UOM ST	PROVAL	Detail	Site: Tir  Tir  FROD CODE 24015 24010 24020 24025 24025	me In	Adj. Tota Tim Tim	Time_al Time e Ine Out _	O3-	29-94 EXT
Other Custon  Explan  CUSTO  14000 14000 14000 14000 14000 14000 74055	Time S Name Time Out Time Out Sation of Time:  DMER AUTHORIZA  DESCRIPTION  TRANS TRANS TRANS TRANS 2ND DRIVER SUBHAULER LABOR BIN RENTAL TRANS (NO DISP) WASHOUT SCALE/CERTS SUBSISTENCE TOLLS	TION A	UOM ST	PROVAL	Detail	Site: Tir  Tir  Tir  PROD CODE 24015 24010 24020 24025 24025 24025 34035 74055	me In	Adj. Tota Tim Tim	Time_al Time e Ine Out _	O3-	29-94 EXT
Other Custor Explan  CUSTO  14000 14000 14000 14000 14000 14000 14000 74055 90465	Time  S Name  Time Out  Time Out  ation of Time:  DMER AUTHORIZA  DESCRIPTION  TRANS  TRANS  TRANS  TRANS  2ND DRIVER  SUBHAULER  LABOR  BIN RENTAL  TRANS (No DISP)  WASHOUT  SCALE/CERTS  SUBSISTENCE  TOLLS  TYVEK	TION A	UOM ST	PROVAL	Detail	D	me In	Adj. Tota Tim Tim	Time_al Time e Ine Out _	O3-	29-94 EXT
Other Custor  Explan  CUSTO  CODE  14000  14000  14000  14000  14000  14000  74055  90465  90465	Time S Name Time Out Time Out Sation of Time:  DESCRIPTION  TRANS TRANS TRANS TRANS TRANS TRANS SUBHAULER LABOR BIN RENTAL TRANS (No DISP) WASHOUT SCALE/CERTS SUBSISTENCE TOLLS TYVEK BOOTS	TION A	UOM ST	PROVAL	Detail	Site: Tir  Tir  Tir  PROD CODE 24015 24010 24020 24025 24025 24025 34035 74055	me In	Adj. Tota Tim Tim	Time_al Time e Ine Out _	O3-	29-94 EXT
Other Driver's Custon Explan CUSTO CODE 14000 14000 14000 14000 14000 14000 14005 90465 90465 90465 90465	Time S Name Time Out Time Out Sation of Time:  DESCRIPTION  TRANS TRANS TRANS TRANS TRANS 2ND DRIVER SUBHAULER LABOR BIN RENTAL TRANS (NO DISP) WASHOUT SCALE/CERTS SUBSISTENCE TOLLS TYVEK BOOTS GOGGLES	TION A	UOM ST	PROVAL	Detail	Site: Tir  Tir  Tir  PROD CODE 24015 24010 24020 24025 24025 24025 34035 74055	me In	Adj. Tota Tim Tim	Time_al Time e Ine Out _	O3-	29-94 EXT
CUSTO CODE 14000 14000 14000 14000 14000 14000 14000 14000 14000 14005 90465 90465 90465	In Service Ser	TION A	UOM ST	PROVAL	Detail	Site: Tir  Tir  Tir  PROD CODE 24015 24010 24020 24025 24025 24025 34035 74055	me In	Adj. Tota Tim Tim	Time_al Time e Ine Out _	O3-	29-94 EXT
CUSTO  CUSTO  CODE  14000  14000  14000  14000  14000  14000  14000  74055  90465  90465  90465  90465  90465	Time S Name Time Out Time Out Sation of Time:  DESCRIPTION  TRANS TRANS TRANS TRANS TRANS 2ND DRIVER SUBHAULER LABOR BIN RENTAL TRANS (NO DISP) WASHOUT SCALE/CERTS SUBSISTENCE TOLLS TYVEK BOOTS GOGGLES	TION A	UOM ST	PROVAL	Detail	Site: Tir  Tir  Tir  PROD CODE 24015 24010 24020 24025 24025 24025 34035 74055	me In	Adj. Tota Tim Tim	Time_al Time e Ine Out _	O3-	29-94 EXT

	. 42290	26000	(16290p)				
	GROSS 42290P	TARE 12013. 2720 P	NET 16,290 P		URUM COUNT	GALLONS	NUMBER: 93385613
WEIGHT TICKET		5/5		ated y lead.			DOCUMENT
	rid law	TRUCK #: 16007 P. of 8# 16515	3-29-94	Sand Constannaster	CILITY: USPCZ	ETER SCHMITT	STATE MANIFEST
	VENDOR: Jaid lau	TRUCK #: 76	DATE: 03-29-	CONTENTS: Sand	DISPOSAL FACILITY: (	DRIVER: FETER S	STATE

e (check appro	priate boxes	<b>)</b>	former :			Treatment Standard	
☐ F-Solvents	□ F001 □	F002 🗆 F003 🗆	F004 🗆 F	005		Complete Reverse Side	
List all D,F,K,U, or P Waste Codes	Subcategory	Treatability Group		nt Standard DCFR 268,43(a)	If Required Method insert proper		California L  / if applica
(eg. F006, D003)	(if any)	or nonwastewater)	CCWE	ccw	5-letter code	USPCI acceptance #	reverse si
0008	LEÃD	NWW	$\sim$			GM94-0130	0
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			trang pakintingan ili ili Piling	1000		
		And the second	to possible some	2.\$15 A * • •			
·	1 1 1 1 1 1 1	727X 10 10 10 10 10 10 10 10 10 10 10 10 10		Agreed of			
	Taraka 1440	MARA P	1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	e selection of			
			e de production de la companya de l La companya de la co	195			0
			e su galance.	A STATE OF THE STA	. 1.1		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The second second		1			.0
······································	1.5						
	1		1 8 8 m	v +			L.)
E: "Wastewater" r lazardous Debri ∃ This hazardous	neans a waste s Notification s debris is sub	e containing less that	an 1% filterab	standards of	Constituents i less then 1% T 40 CFR 268.45.		
E: "Wastewater" r lazardous Debri ∃ This hazardous	neans a waste s Notification s debris is sub	containing less tha	an 1% filterab	standards of	Constituents i less then 1% T 40 CFR 268.45.	which are applicable are mar .O.C.	
: "Wastewater" r azardous Debri ] This hazardous	neans a waste s Notification s debris is sub	e containing less that	an 1% filterab	standards of	Constituents i less then 1% T 40 CFR 268.45.	which are applicable are mar .O.C.	
e: "Wastewater" r azardous Debri This hazardous Contaminants	neans a waste  Notification debris is sub Subject to Tre	ject to the alternative	an 1% filterative treatment st waste cod	standards of	Constituents diess then 1% T 40 CFR 268.45. le to the debris	which are applicable are mar .O.C.	ked
E: "Wastewater" r lazardous Debri This hazardous Contaminants  ACILITY: Note the atment standard readline Extension LDR restricts	s Notifications debris is sub Subject to True at "Contaminad has been pro	ject to the alternative eatment (please list ants Subject to Treatomulgated in 40 CFF	an 1% filterative treatment at waste cool transfer are the R 268.41 or and disposal	standards of les applicab nose constitu 268.43.	Constituents diess then 1% T 40 CFR 268.45. le to the debris ents applicable t	which are applicable are mar .O.C.	ked
E: "Wastewater" r lazardous Debri I This hazardous Contaminants  ACILITY: Note the eatment standard eadline Extensions or variates.	s Notification debris is sub Subject to Tre at "Contamina has been pro ons and Varia cted wastes cance. Restricte	ject to the alternative eatment (please list ants Subject to Treatomulgated in 40 CFF	an 1% filterative treatment at waste cool transfer are the R 268.41 or and disposal	standards of les applicab nose constitu 268.43.	d less then 1% T  40 CFR 268.45.  le to the debris  ents applicable to the determinant applicable to the determinant applicable to the determinant applicable to the determinant applicable to the defective date applicable applicable to the determinant applicable to the determi	which are applicable are mar .O.C.	ked
E: "Wastewater" r lazardous Debri I This hazardous Contaminants  ACILITY: Note the eatment standard eatment standard eatment in LDR restrictensions or variations con the contaminant contains and conta	s Notifications debris is subsubject to Translat "Contaminad has been process and Variations. Restricted wastes cance. Restricted le line	ject to the alternative eatment (please list ants Subject to Treatomulgated in 40 CFF ances and be placed in a larged wastes which quarter and the placed wastes which a larged wastes which a larged wastes which wastes which wastes which wastes wh	an 1% filterative treatment at waste cool transfer are the R 268.41 or and disposal	standards of les applicab nose constitu 268.43.	d less then 1% T  40 CFR 268.45.  le to the debris  ents applicable to the determinant applicable to the determinant applicable to the determinant applicable to the determinant applicable to the defective date applicable applicable to the determinant applicable to the determi	which are applicable are mar .O.C.	ked
E: "Wastewater" r lazardous Debri This hazardous Contaminants  ACILITY: Note the eatment standard eadline Extensions or variations of variations Described in the eatment of the eatment o	s Notification debris is substituted to Trombons and Variated wastes cance. Restricted birs (May 8, 1	pecontaining less that ject to the alternative eatment (please list ants Subject to Treat produgated in 40 CFF ances an be placed in a label wastes which quared 1993)	an 1% filterative treatment at waste cool transfer are the R 268.41 or and disposal	standards of les applicab nose constitu 268.43.	Constituents I less then 1% T 40 CFR 268.45. le to the debris ents applicable t e effective date ion are as follow	which are applicable are mar .O.C.	ked
E: "Wastewater" r lazardous Debri This hazardous Contaminants  ACILITY: Note the eatment standard eatment standard et al. DR restrictensions or variatensions or variatensions of the extensions	s Notification debris is sub Subject to Translat "Contaminat has been proceed wastes cance. Restricted biris (May 8, 199)	pecontaining less that ject to the alternative eatment (please list ants Subject to Treat produgated in 40 CFF ances an be placed in a label wastes which quared 1993)	an 1% filteral e treatment at waste cod  treatment are the R 268.41 or a	standards of les applicabenose constitues 268.43.	Constituents I less then 1% T 40 CFR 268.45. le to the debris ents applicable t e effective date ion are as follow	which are applicable are mar .O.C.	ked
E: "Wastewater" r lazardous Debri This hazardous Contaminants  ACILITY: Note the eatment standard eatment standard tensions or variatensions or variatensions of variatensions o	s Notifications debris is sub Subject to True at "Contaminat has been processed wastes cance. Restricted line biris (May 8, 199 moved from sutinely general	pect to the alternative eatment (please list ants Subject to Treat omulgated in 40 CFF ances an be placed in a later which quality and the placed in a later which are which and the placed in a later which are which and the placed in a later which are which	an 1% filteral e treatment st waste cod  trment" are the R 268.41 or 3 and disposal ality for a dea	standards of les applicabenose constitue 268.43.  I unit after the adline extens  Lie	Constituents I less then 1% T 40 CFR 268.45. le to the debris ents applicable t e effective date ion are as follow	which are applicable are mar .O.C.	ked
E: "Wastewater" r  dazardous Debri  This hazardous  Contaminants  ACILITY: Note the eatment standard eatment standard ertain LDR restrictensions or variates in LDR restrictensions or variates	s Notifications debris is sub Subject to True at "Contaminat has been processed wastes cance. Restricted line biris (May 8, 199 moved from sutinely general	ject to the alternative eatment (please list ants Subject to Treatomulgated in 40 CFF ances and be placed in a label wastes which quartace impoundments.)	an 1% filteral e treatment st waste cod  trment" are the R 268.41 or 3 and disposal ality for a dea	standards of les applicabenose constitue 268.43.  I unit after the adline extens  Lie	d less then 1% T  40 CFR 268.45.  le to the debris  ents applicable to the debris applicable to	which are applicable are mar .O.C.	ked
ACILITY: Note the eatment standard check applicable Hazardous De Hazardous Score F037, F038 re	s Notifications debris is sub Subject to True at "Contaminat has been processed wastes cance. Restricted line biris (May 8, 199 moved from sutinely general	pect to the alternative eatment (please list ants Subject to Treat omulgated in 40 CFF ances an be placed in a later which quality and the placed in a later which are which and the placed in a later which are which and the placed in a later which are which	an 1% filteral e treatment st waste cod  trment" are the R 268.41 or 3 and disposal ality for a dea	standards of les applicabenose constitue 268.43.  I unit after the adline extens  Lie	Constituents I less then 1% T 40 CFR 268.45. le to the debris ents applicable t e effective date ion are as follow	which are applicable are mar .O.C.	ked

# -CONSTITUENT CONCENTED MARK STANDARD THAT APPLIES

MARK STANDARD TH	AT AFFEICS		· · · · · · · · · · · · · · · · · · ·
		Concentration	n (in mg/l)
F001-F005 spent solvents		Wastewaters containing spent solvents	All other spent solvent wastes
☐ Acetone		0.28 0.070	160.0 3.7
n-Butyl alcohol		5.6	2.6
☐ Carbon tetrachlonde		0.057	5.6
☐ Chlorobenzene		0.057	5.7
☐ Cresol (m- and p- isomers):		0.77	3.2
□ o-cresol		0.11	5.6
O-Dichlorobenzene		0.088	6.2
☐ Ethyl acetate		0.34	33.0
☐ Ethylbenzene		0.057	6.0
☐ Ethyl ether		0.12	160.0
☐ Isobutanol		5.6	170.0
☐ Methylene chloride	**********	980.0	33.0
☐ Methyl ethyl ketone	*********	0.28	36.0
Methyl isobutyl ketone		0.14	33.0
☐ Nitrobenzene		0.068	14.0
Pyridine		0.014	16.0
Tetrachloroethylene		0.056	5.6
☐ Toluene		0.08	28.0
1,1,2-Trichloroethane		0.030	7.6
1,1,1-Trichloroethane	The state of the s	0.054	5.6
1,1,2-Trichloro-1,2,2-Trifluoroethane		0.057	28.0
☐ Trichloroethylene		0.054	15.6
☐ Trichloromonofluoromethane	,	0.02	33.0
☐ Xylenes (total)		0.32	28.0
F001, F002, F003, F004 and F005		Concent	ration
wastewaters (Pharmaceutical Industry)	S. S. W. H. Harris	(in mo	
☐ Methylene chloride	*********	0.4	4
268.42 Technology Ba	sed Standard:	3	
F005		Concentr	ation
	ı i	n ma/l(ww) m	a/ka(nww)

	F005		Conce	ntration
		3	in mg/l(ww)	mg/kg(nww)
☐2-Nitropropane (F005)		••••••	Required	Method(s)
2-Ethoxyethanol (F005)			Required	Method(s)

# 268.41 Table CCWE—Constituent Concentrations In Waste Extract

	Concentratio	n (in mg/1)
F001-F005 spent solvents	Wastewaters	All other
☐ Carbon Disulfide	1:05	4.81
Cyclohexanone	0.125	0.75
☐ Methanol	0.25	0.75

California List Waste (applies to all states)
Liquid hazardous waste including free liquids associated with any solid or sludge containing the following constituents or characteristic:

	Concentration	Treatment Standard	
oH ≤ 2.0		Neutralize/Stabilize	
vanides	≥ 1,000	Cyanides Destruction/Stabilize	and Medical Control of the Control o
Arsenic	≥ 500	Metals Recovery/Solidification	
Cadmlum			
Chromium (VI)			***
ead		Metais Recovery/Solidification	
Hercury		Metals Recovery/Soliditication	
ickel		Metals Recovery/Soliditication	
elenuim			
hailum			
CBs		Incineration/High Efficiency Boiler	
olid, studge, or liquid Halogenated Organic			Extraction

ग्रेग त 

4 1

(FOLD ON DOTTED LINE-STAPLE TO HAZARDOUS MATERIALS SHIPPING PAPER)

tise basic description and technical name as described in 49 CFR 172.202 and 172.203 (K).

EMERGENCY

with

**Basic Description:** 

Hazard

Technical Name(s): RESPONSE GUIDE

24 hr. Emergency Contact Tel. No.:

### POTENTIAL HAZARDS

#### **FIRE OR EXPLOSION**

Some of these materials may burn, but none of them ignites readily.

#### **HEALTH HAZARDS**

Contact may cause burns to skin and eyes. Fire may produce irritating or poisonous gases. Runoff from fire control or dilution water may cause pollution.

### **EMERGENCY ACTION**

Keep unnecessary people away; isolate hazard area and deny entry. Positive pressure self-contained breathing apparatus (SCBA) and structural fireflighters' protective ciothing will provided limited protection. CALL CHEMTREC AT 1-800-424-9300 FOR EMERGENCY ASSISTANCE. If water pollution occurs, notify the appropriate authorities.

Small Fires: Dry chemical, CO2, water spray or regular foam.

Large Fires: Water spray, fog or regular foam.

Move container from fire area if you can do it without risk.

Do not scatter spilled material with high-pressure water streams. Dike fire-control water for later disposal.

#### SPILL OR LEAK

Stop leak if you can do it without risk.

Small Dry Spills: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

Small Spills: Take up with sand or other noncombustible absorbent material and place into containers for later disposal.

Large Spills: Dike far ahead of liquid spill for later disposal. Cover powder spill with plastic sheet or tarp to minimize spreading.

#### FIRST AID

In case of contact with material, immediately flush eyes with running water for at least 15 minutes. Wash skin with soap and water. Remove and isolate contaminated clothing and shoes at the site.

Information on this Guide Page is from the 1990 Emergency Response Guidebook Dot P 5800.5. It applies only to the basic Description and Technical Name entered by the shipper at the top of this form.

Check to see whether the shipper commodity (Basic description entered at the top of this form) is listed by I.D.# and NAME OF THE MATERIAL in the Table of Initial Isolation and Protective Action Distances. This Table is partially reproduced on the back of this Guide Page to reflect only commodities assigned to this Guide Number. Use this information from the table in addition to the Guide Page IF THERE IS NO FIRE.

READ AND CHECK THE NAMES AND NUMBERS CAREFULLY BECAUSE COMPLETELY DIFFERENT HAZARDOUS MATERIALS CAN HAVE NAMES AND/OR NUMBERS WHICH ARE ALMOST THE SAME!

ERF 31 Printed by LABELMASTER, Div. of AMERICAN LABELMARK CO., CHICAGO, IL 60648 (800) 621-5808

#### INITIAL ISOLATION PROTECTION TABLES FOR SELECTED HAZARDOUS MATERIALS

The table gives suggested distances for ISOLATING unprotected people from spill areas involving the hazardous materials shown, IF THE LISTED MATERIAL IS NOT ON FIRE. If the material is on fire, refer to the 2-digit Guide.

These materials were selected because their vapors have the potential to produce poisonous effects. The table is useful for no more than the first 30 minutes of an incident involving these materials. There are several good reasons for suggesting that the use of the table be limited specifically to the initial phase of a no-fire spill incident during transport.

# D.O.T. EMERGENCY RESPONSE GUIDE 31

intigero i Minimie Briantonamballo i Rora (Estalla de la Minimia Britalia)

# USE THIS TABLE WHEN THE MATERIAL IS NOT ON FIRE.

ID No.

NAME OF MATERIAL

SMALL SPILLS (Leak or spill from a small package or small leak from a large package.)

(Leak or spill from a large package or spill from many small packages.) First, ISOLATE in all directions-(Feet)

ISOLATE in all directions (Feet)

Then, PROTECT those persons in the DOWNWIND direction-(Miles)

Then, PROTECT those persons in the DOWNWIND direction-(Miles)

LARGE SPILLS

No chemicals appear in Table of Isolation and Protective Action Distances which are assigned to this Guide number.

If the chemical name and ID Number the shipper entered on the front of this form match a name from this list, and NO FIRE exists, you must:

determine if the incident involves a small or large spill; look up the isolation distance; (Direct all person to move in a crosswind direction, away from the spill, to that distance.) look up the initial PROTECTIVE ACTION DISTANCE in the table. (For practical purposes, the Protective Action Zone is a square whose length and width are the same as the downwind distance shown in the table.)

WHEN APPROACHING THE SCENE OF AN ACCIDENT INVOLVING ANY CARGO (NOT ONLY REGULATED HAZARDOUS MATERIALS):

- APPROACH INCIDENT FROM AN UPWIND DIRECTION, IF POSSIBLE
- MOVE AND KEEP PEOPLE AWAY FROM INCIDENT SCENE
- DO NOT WALK INTO OR TOUCH ANY SPILLED MATERIAL
- AVOID INHALING FUMES, SMOKE AND VAPORS EVEN IF NO HAZARDOUS MATERIALS ARE INVOLVED
- DO NOT ASSUME THAT GASES OR VAPORS ARE HARMLESS BECAUSE OF LACK OF SMELL-ODORLESS GASES OR VAPORS MAY BE HARMFUL

As a first responder at the scene of a hazardous materials incident, seek additional and more specific information about any material in question as soon as possible. This Guide Page is not intended for use during the cleanup phase for spilled materials, nor should it be used to determine compliance with any regulations. This information on this Emergency Response Form should be augmented by expert technical advice as soon as you have assessed the situation and have seen to the immediate needs of the people involved.

FOR FURTHER INFORMATION REFER TO DOT P 5800.5 (EMERGENCY RESPONSE GUIDEBOOK) AND TITLE 49 CODE OF FEDERAL REGULATIONS.

	46630 P. 4630 Freen = 23280 P. 2620 ROBBI = 2940 P.	20410P			3385613 20410 36,700p
	GROSS 466 FINE ROPISIE	NET	טאטא כטטאו	GALLONS	JOCUMENT NUMBER: 23385613
WEIGHT TICKET	VENDOR: Laid - Law Environmental Sov. TRUCK #: 16007 ROFB # 16014 B.	DATE: 03-29-94 CONFENTS: Some Conformingfel of loase	DISPOSAL FACILITY: USPEZ	DRIVER: PETER SCHMITT	STATE MANIFEST DOCUMEN